

ADHESIVE FOR GYPSUM BOARD

APPLICATION AREAS

It is used for gluing panels of plasterboard, filling the connections between the individual panels of expanded polystyrene, combined materials for insulation, mineral wool, bare concrete, aerated brick surfaces.

PRESUPPOSITIONS

The adhesion force increases due to additional supplements. Its quality increases after hardening. Reduces the volume of losses to a minimum.

PACKAGING

Polypropylene sheathed bag, 25 kg $\pm 2\%$

LAYING CONDITIONS

The temperature in the laying room should be min. +5°C.

The surface to be treated must be free of dust, greasy stains, etc. Before laying, dry and warmed surfaces must be moistened.

STORAGE

Store in the manufacturer's packaging, in a closed package, on a pallet.

TECHNICAL SPECIFICATIONS

Dilution: 5 l of water, 10 kg of gypsum glue. Operating time: 30 minutes. Curing time: 45 minutes. Shrinkage force: min. 3 kg f/cm² Thermal conductivity: max. 0.35 W/mk

SOLUTION PREPARATION

Pour water into a clean container according to the amount of solution (ratio: 10 kg of gypsum glue to 5 liters of water) and add the glue. Wait two minutes for the mixture to "ripen" and add more water. For better homogeneity, uses a machine mixer. After stirring, the mixture is ready to use. The resulting mixture should be used within 30 minutes.

HOW TO USE

Laying starts from the edge of the wall. Gypsum glue is smeared on the back of the boards in at least three places along the entire length with a distance of 30 cm or directly on the wall. The board is pressed between the support beam and the wall. During laying, the balance between boards. The technical specifications must be adjusted according to the working space, climatic conditions and the laying surface.





• ЖИВОТ В ЦВЕТОВЕ •

www.adacolor-bg.com

гр. София
ул. „Андрей Германов“ 6
GSM: 089 666 3042 / 089 468 3880

гр. София, кв. Овча Купел 1,
ул. „Промислена“ 33, бл.429, маг. №18
GSM: 089 666 9071

гр. Пловдив
ул. „Брезовско шосе“ 176
GSM: 089 544 7503 / 089 666 3044

гр. Варна
ул. „Уста Кольо Фичето“ 25
GSM: 089 666 9079 / 089 466 9023

гр. Шумен, кв. Добруджански,
инд. зона: база на Стройкомплект
GSM: 089 455 1685 / 089 666 3043

гр. Кърджали
ул. „Клокотница“ 1
GSM: 089 575 0749 / 089 666 3057

гр. Троян
ул. „Македония“ 49
GSM: 089 666 9079 / 089 673 4489

гр. Хасково, Южна индустриална
зона, ул. „Околовръстен път“ 5
GSM: 089 666 3051 / 089 241 2833