

SAFETY DATA SHEET

SELLACK 2 COMPONENT PARQUET ADHESIVE (9+1)

Revision nr.3 Dated 13.10.2009 Printed on 25.02.2013 Page n. 1/3



1-GENERAL INFORMATION

Product name and code	: SELLACK 2 COMPONENT PARQUET ADHESIVE (9+1)
Producer	: Özcan Kimyevi Maddeler Ambalaj ve İmalat, İthalat, İhracat, Pazarlama Ltd. Şti.
Address	: Birlik Sanayi Sitesi 3. Cadde No.97/99 Beylikduzu/Istanbul/TURKEY
Tel	: +90 (212) 875 16 92 - 875 16 99
Fax	: +90 (212) 876 42 70

2. COMPOSITION

Chemical characterization: I. Component : Mixture of Polyol and CaCO₃ II. Component: Diphenymethane 4,4-diisocyanate

Main component/hardener: 9/1

Name of the chemical	CAS no	Range (%)	R-phrases	EEC No
Castor oil	8001–79–4	25-30		
MDI(Difenil methane	9016-87-9	10–12	R20, R36/37/38/42/44	
4,4 diisocyanate)				

3. HAZARDS IDENTIFICATION

Eye contact	: If eye expose to it directly, the product may be cause an irritation.
Skin contact	: Long time and continuous connection of it may cause an irritation.
Ingestion	: Harmful to health.
Important effect ways	: Skin, eyes

For hardener

R36/37/38Irritating to eyes, respiratory system and skinR20Harmful by inhalation

4. FIRST AID MEASURES

Inhalation	: Remove to fresh air, keep patient warm and rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious place in recovery position and seek medical advice.
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes,
	holding the eyelids apart and seek medical advice.
Skin contact	: Remove contaminated clothing. Wash skin throughly with soap and water or use
	recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If accidentally swallowed immediately rinse mouth by water and then drink plenty of
-	fresh water. Obtain immediate medical attention.

ÖZCAN KİMYEVİ MADDELER AMBALAJ ve İMALAT. İTH. İHR. PAZARLAMA LTD.ŞTİ.

Organize Birlik Sanayi Sitesi 3. Cadde No: 95/ 97/ 99 Beylikdüzü-İSTANBUL / TURKEY TEL: +90212 875 16 92–875 16 99 Fax: +90212 876 42 70 www.ozcankimya.com e-mail: info@ozcankimya.com



SAFETY DATA SHEET

SELLACK 2 COMPONENT PARQUET ADHESIVE (9+1)

Revision nr.3 Dated 13.10.2009 Printed on 25.02.2013 Page n. 2/3



5. FIRE-FIGHTING MEASURES

Extinguishing Media: Recommended Protective material

: CO₂, alcohol resistant foam, powders, water spray : Appropriate gas mask

6. ACCIDENTAL RELEASE MEASURES

Avoid contact with eyes and skin. Do not discharge into the drains/surface water/groundwater. Cover with inert absorbent material. Clean with any thin solvents or thinners.

7. HANDLING AND STORAGE

Handling Do not use it in rainy weather. Storage It can be stored 1 year in room conditions.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures Personal Protection	: Exhaust ventilation. : Respiratory protection	: Incase of sufficient ventilation use suitable
	respiratory mask. Hand protection Eye and face protection	: Use suitable gloves. : Use protective glasses and protective mask
	Hygiene measures	: Do not eat, drink or smoke while handling it.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: I. Component	: Tiksotropic sealer
	II. Component	: Liquid
Flash Point	:>200°C	
Mixture ration by weight	: Main Component	/Hardener=9/1

10. STABILITY AND REACTIVITY

Use under normal conditions. Avoid the product from fire.

11. TOXICOLOGICAL INFORMATION

Avoid direct contact to eyes; in case of contact it may cause an irritation.



SAFETY DATA SHEET

SELLACK 2 COMPONENT PARQUET ADHESIVE (9+1)

Revision nr.3 Dated 13.10.2009 Printed on 25.02.2013 Page n. 3/3



12. ECOLOGICAL INFORMATION

Avoid discharge to sewerage systems and water resources.

13. DISPOSAL CONSIDERATIONS

Do not allow into drains or water courses. Wastes and emptied containers should be disposed according to local regulations.

14. TRANSPORT INFORMATION

ADR/RID	: No limitation.
IMDG	: No limitation.
ICAO / IATA	: No limitation.

15. REGULATORY INFORMATION

This product is not under the obligations of labeling.

16. OTHER INFORMATION

It is suitable for the use of all types of parquet applications on all normal substrates, e.g. cement, ceramics, marble and wood. Especially it is usable in adhering of laminated parquets.

- S2 Keep out of the reach of children
- R22 Harmful if swallowed

The information in this Safety Data Sheet is required pursuant to "Güvenlik Bilgi Formu" (The Regulation Concerning Safety Data Sheet), IS 11014-1 and EU Directive 91155/EEC and its amendments.

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be us for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties