



CERTIFICATE OF ANALYSIS

Page : 1

Issue Date :

Revision Date :

Organik Kimya San. ve Tic. A. S.

This is to certify that the designated material has been tested and did comply with listed specifications when supplied in original container.

Product : ORGALOK MA 25	Ord.No / Cus.Ord.No / Inv.No 616014/1000000874 & 1000000875/IN12019000000329	Date : 01/03/2019
Customer : ADA COLOR EOOD	Delivery address : Brezovsko Shose, Str. 4003 Plovdiv PLOVDIV - BULGARIA	

Plate/Cont. No:34 ZM 3687

Production Date :	02/2019	Lot Number :	19-10506	
Shelf Life :	12 Months	Quantity, Kg :	540	
Test	Description	Units	Spec. Limits	Analysis Values
S.M.F.6	Appearance		White paste	White paste
S.M.F.3	Solid Content (1gr 150°C 20')	%	40 ± 1	39.9
S.M.F.2	pH		4.0 - 5.0	4.58
S.M.F.13	Viscosity 25°C (Brookfield RVT 6/50)	cps	9000 - 18000	15000
S.M.F.44	Gel content dry (82mesh/180µm)	gr/lt	max.0.2	0.04

The above is a copy of information from electronic file.

The given analysis values reflect the results of our quality control test methods. They are given without guarantee, as conditions and methods of use of our products are beyond our control.

Organik Kimya San. ve Tic. A. S.

Responsible Care



Form No: LB F 002