

 Dated 17/01/2017

 Printed on 17/01/2017

 Page n. 1 / 7

Revision nr.1

VW444.01.0000 - UNIDECK DECK OIL UB-444

# Safety data sheet

SECTION 1. Identif	ication of the substa	ance/mixture and of the company/undertaking			
1.1. Product identifier					
Code: Product name		/W444.01.0000 INIDECK DECK OIL UB-444			
1.2. Relevant identified us	es of the substance or mix	ture and uses advised against			
Intended use	E	XTERIOR WATER BASED DECK OIL			
1.3. Details of the supplier	r of the safety data sheet				
Name Full address District and Country e-mail address of the cor	T 3 T F npetent person	KAYALAR KIMYA SAN.VE TIC.A.S. Tepeören Kimya Sanayicileri O.S.B, Tem Yanyol F1 Blok (4956 Istanbul (Tuzla) TURKEY Tel. +90 216-5930727 Fax +90 216-5931850			
responsible for the Safet	y Data Sheet h	elp@kayalarkimya.com.tr			
Product distribution by	К	Cayalar Kimya San. Ve Tic. A.S.			
1.4. Emergency telephone	number				
For urgent inquiries refer	T T	90 216-5930727; HEADQUARTERS: KAYALAR KIMYA SAN.VE TIC. A.Ş. TURKEY EL:+90 216-5930727 / SPAIN OFFICE: KAYALAR KIMYA ESPANA S.L. EL:952206183 MOBILE:665656580 / INSTITUTO NACIONAL DE TOXICOLOGIA EL: 915620420			
<b>SECTION 2. Hazard</b>	ds identification.				
2.1. Classification of the s	ubstance or mixture.				
However, since the prod	uct contains hazardous subst	o the provisions set forth in EC Regulation 1272/2008 (CLP). tances in concentrations such as to be declared in section no. 3, it requires a safety data tegulation 1907/2006 and subsequent amendments.			
Hazard classification and	indication:				
2.2. Label elements.					
		8 (CLP) and subsequent amendments and supplements.			
		8 (CLP) and subsequent amendments and supplements.			
Hazard labelling pursuan		8 (CLP) and subsequent amendments and supplements.			
Hazard labelling pursuan Hazard pictograms:	nt to EC Regulation 1272/200   Safety data sheet available	e on request. 3-iodo-2-propynyl butyl carbamate			
Hazard labelling pursuan Hazard pictograms: Signal words: Hazard statements: EUH210	t to EC Regulation 1272/200   Safety data sheet available Contains:	e on request. 3-iodo-2-propynyl butyl carbamate			

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# SECTION 3. Composition/information on ingredients.

#### 3.1. Substances.

Information not relevant.

ΕN



Revision nr.1 Dated 17/01/2017 Printed on 17/01/2017 Page n. 2/7

# VW444.01.0000 - UNIDECK DECK OIL UB-444

## SECTION 3. Composition/information on ingredients. ..../>>

#### 3.2. Mixtures.

#### Contains:

Identification.			Conc. %.			
3-iodo-2	2-propynyl	butyl	carl	bam	ate	
CAS	55406 53	2 6	01	0 1	5	

Classification 1272/2008 (CLP).

55406-53-6 0.1 - 0.15

Acute Tox. 3 H331, Acute Tox. 4 H302, Eye Dam. 1 H318, STOT SE 3 H335, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC. 259-627-5 INDEX.

Note: Upper limit is not included into the range. The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

# **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters.

# **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage.

### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.



 VW444.01.0000 - UNIDECK DECK OIL UB-444
 Dated 17/01/2017

Revision nr.1

## SECTION 7. Handling and storage. ... / >>

7.2. Conditions for safe storage, including any incompatibilities. Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s). Information not available.

## **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters.

Information not available.

#### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

#### 9.1. Information on basic physical and chemical properties.

Appearance	•	liquid
Colour		colourless
Odour		characteristic
Odour threshold.		Not available.
pH.		Not available.
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.
Vapour pressure.		Not available.
Vapour density		Not available.
Relative density.		1.03 Kg/l
Solubility		Not available.
Partition coefficient: n-octanol/water		Not available.
Auto-ignition temperature.		Not available.
Decomposition temperature.		Not available.
Viscosity		Not available.
Explosive properties		Not available.
Oxidising properties		Not available.



Revision nr.1 Dated 17/01/2017 Printed on 17/01/2017 Page n. 4 / 7 ΕN

# VW444.01.0000 - UNIDECK DECK OIL UB-444

### SECTION 9. Physical and chemical properties. .../>>

#### 9.2. Other information.

VOC (Directive 2010/75/EC) : VOC (volatile carbon) : 4.78 % - 49.85 0

9.85 g/litre.

## **SECTION 10. Stability and reactivity.**

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

#### 10.6. Hazardous decomposition products.

Information not available.

# **SECTION 11. Toxicological information.**

#### 11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product contains sensitizing substance/s and may cause allergic reactions.

3-iodo-2-propynyl butyl carbamateLD50 (Oral).> 300 mg/kg/ bwLD50 (Dermal).> 2000 mg/kg bwLC50 (Inhalation).> 6.89 mg/l for not respirable dust

# **SECTION 12. Ecological information.**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

#### 12.1. Toxicity.

3-iodo-2-propynyl butyl carbamate LC50 - for Fish. EC50 - for Crustacea.

> 85 mg/l/96h Oncorhynchus mykiss> 0.16 mg/l/48h Daphnia magna

#### **12.2. Persistence and degradability.** Information not available.

#### **12.3. Bioaccumulative potential.** Information not available.

**12.4. Mobility in soil.** Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.



 Dated 17/01/2017

 Printed on 17/01/2017

 B-444

 Page n. 5 / 7

Revision nr.1

VW444.01.0000 - UNIDECK DECK OIL UB-444

# **SECTION 13.** Disposal considerations.

#### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number.

Not applicable.

#### 14.2. UN proper shipping name.

Not applicable.

### 14.3. Transport hazard class(es).

Not applicable.

#### 14.4. Packing group.

Not applicable.

#### 14.5. Environmental hazards.

Not applicable.

### 14.6. Special precautions for user.

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

## **SECTION 15. Regulatory information.**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006. None.

Substances in Candidate List (Art. 59 REACH). None. Substances subject to authorisarion (Annex XIV REACH). None. Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

None.

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention: None.

<u>Healthcare controls.</u> Information not available.



Revision nr.1 Dated 17/01/2017 Printed on 17/01/2017 Page n. 6 / 7

# VW444.01.0000 - UNIDECK DECK OIL UB-444

### SECTION 15. Regulatory information. ... / >>

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

- The Merck Index. - 10th Edition

- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)

ΕN



Revision nr.1 Dated 17/01/2017 Printed on 17/01/2017 Page n. 7 / 7

# VW444.01.0000 - UNIDECK DECK OIL UB-444

SECTION 16. Other information. ... / >>

ΕN

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.