

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2015

Revision: 26.01.2015

### **1** Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: BETEK FLEKS FUGA
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Tile Adhesive
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Betek Boya ve Kimya Sanayi A.S. G.O.S.B. Tembelova Alani 3200 Sokak No:3206 41400 Gebze/ Kocaeli/ Türkiye Tel: 00 90 262 678 30 00 Fax: 00 90 262 641 21 68
- · Further information obtainable from: R&D Department
- · Emergency telephone number: 0090 262 678 3000

## 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

Skin Irrit. 2 H315 Causes skin irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

• Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

Printing date 26.01.2015

Revision: 26.01.2015

Trade name: BETEK FLEKS FUGA

(Contd. of page 1)

	ing components of labelling:
Cement, portland	, chemicals
· Hazard statemen	ts
H315 Causes skir	n irritation.
H318 Causes serv	ious eye damage.
H335 May cause	respiratory irritation.
· Precautionary st	ntements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Other hazards	· · · · · · · · · · · · · · · · · · ·

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Aqueous pigmented pastes based on anorganic pigments (iron oxide, chromic and cobalt oxide pigment) or organic pigments.

• Dangerous compone	ents:	
CAS: 60676-86-0	Silica, fused	50-100%
EINECS: 262-373-8		
CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4		
	📀 Eye Dam. 1, H318; 🚸 STOT SE 3, H335; Skin Irrit. 2, H315	
· Additional information	ion. For the wording of the listed risk phrases refer to section 16	

Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2015

Revision: 26.01.2015

### Trade name: BETEK FLEKS FUGA

 $(Contd. \ of page \ 2)$ 

## **5** Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- *Environmental precautions:* Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 60676-86-0 Silica, fused
- WEL Long-term value: 0.08 mg/m<sup>3</sup>
- respirable dust

## 65997-15-1 Cement, portland, chemicals

- WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>
- \*inhalable dust \*\*respirable dust
- *Additional information:* The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

GB

Printing date 26.01.2015

Revision: 26.01.2015

Trade name: BETEK FLEKS FUGA

	(Contd. of page 3)
Immediately remove all soiled and con	
Wash hands before breaks and at the e	nd of work.
Avoid contact with the skin. Avoid contact with the eyes and skin.	
• Respiratory protection:	
	ion use respiratory filter device. In case of intensive or longer exposure use
self-contained respiratory protective d	
• Protection of hands:	
.Mh	
Protective gloves	
The alone material has to be imported	able and unistant to the nuclear the substance the nuclearties
	uble and resistant to the product/ the substance/ the preparation. fon to the glove material can be given for the product/ the preparation/ the
chemical mixture.	on to the glove material can be given jor the product, the preparation, the
Selection of the glove material on cons	sideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	
	es not only depend on the material, but also on further marks of quality and
	turer. As the product is a preparation of several substances, the resistance lated in advance and has therefore to be checked prior to the application.
• Penetration time of glove material	uleu în duvance unu nas încrejore lo be checkeu prior lo îne application.
	be found out by the manufacturer of the protective gloves and has to be
observed.	
• Eye protection:	
Tightly sealed goggles	
9 Physical and chemical propertie	25
· Information on basic physical and ch	amical proportion
· General Information	emical properties
· Appearance:	
Form:	Solid
Colour:	According to product specification
• Odour: • Odour threshold:	Characteristic Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	2230°C
· Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Deserve saiding down sugary	
<b>Decomposition temperature:</b>	Not determined.
· Self-igniting:	Not determined. Product is not selfigniting.

Printing date 26.01.2015

Revision: 26.01.2015

### Trade name: BETEK FLEKS FUGA

	(Con	td. of page 4
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Segregation coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	6.7 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

(Contd. on page 6)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2015

Revision: 26.01.2015

Trade name: BETEK FLEKS FUGA

(Contd. of page 5)

## **12 Ecological information**

- · Toxicity
- Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### **14 Transport information**

- · Land transport ADR/RID (cross-border) · ADR/RID class: -
- · Maritime transport IMDG:
- · IMDG Class:
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: -
- · UN "Model Regulation": -
- · Special precautions for user Not applicable.
- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## **15 Regulatory information**

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16** Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB

Printing date 26.01.2015

Revision: 26.01.2015

## Trade name: BETEK FLEKS FUGA

	(Contd. of page 6
Releva	nt phrases
	Causes skin irritation.
H318	Causes serious eye damage.
	May cause respiratory irritation.
R37/38	Irritating to respiratory system and skin.
R41	Risk of serious damage to eyes.
Abbre	viations and acronyms:
	cord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriag
of Dang	erous Goods by Road)
	glement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning th onal Transport of Dangerous Goods by Rail)
IMDG: I	nternational Maritime Code for Dangerous Goods
	ternational Air Transport Association
	GR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
	nternational Civil Aviation Organization
	: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: G	obally Harmonized System of Classification and Labelling of Chemicals