

DECLARATION OF PERFORMANCE

NO: BET-120

| 1. Product type ID code | BETEK BETEK TECT VF80 VENTILATED FACEDE It is used for thermal insulation in buildings | |
|---|---|--|
| 2. Intended purpose or purposes | | |
| 3. Manufacturer | Betek Boya ve Kimya Sanayi A.Ş. Central Address: Zümrütevler Mahallesi Ural Sokak No:38 Maltepe / İSTANBUL Production Address: Gaziosmanpaşa OSB 7. Cadde No:13 Altıeylül /BALIKESİR | |
| 4. Authorized agent | | |
| 5. Invariance of the system performance evaluation and verification | System 1 and System 3 | |
| 6. Harmonized standard, Notified Bodies | The scope of a hormanized standard EN 13162 that is within a declaration of performance for a building material: TZUS, the notified body numbered 1020, issued the Performance Invariance Certificate numbered 1020-CPR-010041671 within the scope of System 1 and The document numbered CPR-PTD/R20-62-1 has been issued by the notified body TEBAR no. 2164. | |

7. Performance Statement

| Essential characteristics | Performance | Harmonized Technical Specification |
|--|-----------------|---------------------------------------|
| Reaction to fire | A1 | |
| Heat Resistance | 1,14–5,71 m²K/W | |
| Heat conductivity | 0,035 W/mK | |
| Thickness | T4 (40-200mm) | EN 13162 |
| Short term water absorption | WS | |
| Long term water absorption with full immersion | WL(P) | |
| MW-EN 13162-T4-W | S-WL(P) | |

| 8. Appropriate Technical Documentation and/or Specific Technical Certification | |
|--|--|
|--|--|

The declared group of performance statement has described construction material above. This performance statement according to prepared construction materials regulation (305/2011/AB) publish only the responsibility of the manufacturing described above.

Manufacturer / Signed on behalf of the manufacturer

Name and position: Mehmet Sıtkı Naneli

Quality Manage BETEK BOYA

SANAYA Tel: (0216) 67 BÜYÜK MÜKELLEFLER

Address : Gebze Organize Sanayi Bölgesi Tembelova Alanı 3200 Sokak No:3206 Gebze/Kocaeli

Tel: 0262 678 30 00 Fax: 0262 678 33 63

Tarih: 19.04.2023