

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product ID

Product Shape : Mixture  
Product Name : Decorative plaster - Plaster of Paris

### 1.2. Relevant uses of the substance or mixture identified and non-recommended uses

#### 1.2.1. Identified uses

Main category of use : Professional Use, Industrial Use  
Use of the substance/mixture : It is used as a construction plaster for fiber-reinforced gypsum elements such as plasterboard plaster. (TS EN13279-1 C1/8)  
It is used as a light mixed plaster for buildings as a perlite plaster. (Applied by hand) (TS EN 13279 -1-B4/20/2)  
It is used as a finely applicable plaster as a finishing plaster. (TS EN 13279 1 C6/ 2B/2)  
It is used as a machine plaster and as a light plaster for buildings. (Spray plaster) (TS EN 13279-1-B4/50/2)  
It is used as a joint component for gypsum board boards as a putty plaster for gypsum plaster joints. (3B TS EN 13963)  
Adhesive for drywall thinner applied plaster. (TS EN 14496)  
It is used directly in the building as a construction plaster. (A1)

#### 1.2.2. Uses that are not recommended

No additional information available

### 1.3. Details of the safety data sheet provider

#### Manufacturer

FERNAS ALÇI SAN.ve TİC.A.S.

Ahi Boz Mevkii Konya Yolu Uzuzi 37. Miles

Gölbaşı/ Ankara

TURKEY

T (0312) 499 52 01 - F (0312) 499 52 30

[info@allalci.com](mailto:info@allalci.com) - [www.allalci.com](http://www.allalci.com)

Importer: Ada Color Ltd. 176 Brezovsko Shose Street, 4003 Plovdiv, Bulgaria,

Mobile: +359896663052, Tel: +35932940456, Fax: +35932940457, web: adacolor-bg.com

### 1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency phone number	Comment
Bulgaria	National Toxicological Information Center General Hospital for Active Care Treatment and Emergency Medicine "N.I. Pirogov"	Bull. Gene. Eduard I. Totleben 21 1606 Sofia	+359 2 9154 233	The phone is active 24/7 and calling it is free of charge

## SECTION 2: Description of hazards

### 2.1. Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Serious eye damage/irritation, Category 1 H318

For the full text of the H- and EUH hazard statements: see Section 16

#### Adverse physicochemical effects and adverse effects on human health and the environment

It causes serious eye damage.

# Decorative plaster - Plaster of Paris

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard Pictograms (CLP)



GHS05

Signal Word (CLP)

: Dangerous

Contains

: Calcium dihydroxide

Hazard Warnings (CLP)

: H318 - Causes serious eye damage.

Safety Recommendations (CLP)

: P280 - Use safety gloves, protective clothing, safety goggles, safety face mask.

P305+P351+P338+P310 - IN CASE OF CONTACT WITH EYES: rinse gently with water for several minutes. Remove contact lenses, if any, and as much as possible. Continue rinsing. Immediately call a doctor at the TOXICOLOGY CENTER.

### 2.3. Other hazards

Other hazards that do not lead to classification

: Gypsum powder can disrupt the skin, eyes, and respiratory tract.

Does not contain PBT and/or vPvB substances  $\geq 0,1\%$  assessed in accordance with REACH, Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1)(1) of REACH for the possession of endocrine-disrupting properties or which have not been found to have endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration, equal to or greater than 0,1 % by weight.

## SECTION 3: Composition/Ingredient Information

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments

: The mixture contains calcium sulfate hemihydrate, calcite, water retainers (cellulose), retarders (acids). Gypsum and machine plaster contain additionally expanded perlite. A mixture of calcium sulfate hemihydrate ( $\text{CaSO}_4 + 1/2 \text{H}_2\text{O}$ ) and minerals.

Name	Product ID	%	Classification in accordance with Regulation (EC) No 1272/2008 [CLP]
Calcium dihydroxide	CAS No: 1305-62-0 EO No: 215-137-3	< 8	Skin irritation. 2, H315 Eye Dam. 1, H318 TOT SE 3, H335

For the full text of the H- and EUH hazard statements: see Section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First aid - general measures

: In all cases of doubt or when symptoms persist, seek medical attention help.

First aid for inhalation

: Take your face out into the fresh air and place it in a position that facilitates breathing.

First aid for skin contact

: Wash the skin thoroughly with water.

First aid for eye contact

: Rinse gently with water for several minutes. Remove contact lenses, if there are any, and as far as possible. Continue rinsing. Call a doctor immediately.

# Decorative plaster - Plaster of Paris

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

First aid for ingestion : Never give anything by mouth to an unconscious person. Do not induce vomiting. Call a poison center or doctor if you feel unwell.

### 4.2. The most significant acute symptoms and effects occurring after a certain period of time

Symptoms/effects after eye contact : Serious eye damage.

### 4.3. Indication of the need for any emergency medical care and special treatment

To be treated symptomatically.

## SECTION 5: Fire Prevention Measures

### 5.1. Fire extinguishing equipment

Suitable fire extinguishers : Water spray, dry chemical powder, foam resistant to alcohols, carbon dioxide (CO<sub>2</sub>).  
Unsuitable fire extinguishers : Do not use a dense stream of water, as it may scatter and spread fire.

### 5.2. Particular hazards arising from the substance or mixture

Fire hazard : Fire hazard in contact with combustible materials. Fire resistant (A1 class).  
Explosion hazard : Risk of explosion when heated in a confined space.  
Hazardous decay products in the event of fire : When heated or during combustion. Toxic fumes may be released.

### 5.3. Tips for firefighters

Fire protection measures : Keep away from combustible materials. Keep the package closed when not Use. Approach from the wind.  
Instructions for extinguishing fires : Be careful in the fight against chemical fires. To keep against the wind. Do not enter fire areas without protective equipment, incl. and respiratory protective equipment. Remove all ignition sources if safe. Limit fire extinguishing liquids by closure.  
Fire extinguishing protection : Do not attempt to take action without proper protective equipment. Autonomous and an isolating apparatus for respiratory protection. Full protective clothing.  
Other information : Do not allow fire extinguishing leaks to enter drains or water bodies. Notify the authorities if the product ends up in sewers or public water bodies. The products of decomposition at high temperature are harmful if inhaled. Inhaling fumes can cause breathing difficulties.

## SECTION 6: Emergency release measures

### 6.1. Personal protective measures, protective equipment and emergency procedures

General measures : People should stay away from the danger zone.

#### 6.1.1. For non-emergency staff

Protective equipment : For more information, see section 8: "Exposure control/personal protective equipment means".  
Emergency plans : Ventilate the spill area. Do not touch or walk on the spilled product. Notify the fire department and the authorities responsible for the environment. Avoid skin contact and Eyes.  
Measures in case of dust : In case of risk of dust formation. Anti-dust mask. Safety goggles. Dustproof clothing.

#### 6.1.2. For those responsible for emergencies

Protective equipment : Do not attempt to take action without proper protective equipment. For more information, see section 8: "Exposure control/personal protective equipment".  
Emergency plans : Eliminate unnecessary staff. Provide appropriate protective equipment to cleaning teams. Stop the leak if it is safe. Prevent it from entering sewers, basements and work pits or any place where its accumulation can be Dangerous.

### 6.2. Environmental precautions

Avoid release into the environment.

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

### 6.3. Containment and cleaning methods and materials

- For retention : Do not touch or walk on the spilled product.
- Cleaning methods : The spilled material should be absorbed as quickly as possible with inert solids, such as clay or inferential earth. Take mechanical (sweeping, scooping) and collect in a suitable container for disposal. Notify the authorities if the product gets into sewers or public water bodies.
- Other information : Dispose of materials or solid residues in an authorized location.

### 6.4. Reference to other sections

For personal protective equipment to use, see section 8. For elimination of disposal after cleaning, see section 13.

## SECTION 7: Operation and Storage

### 7.1. Precautions for safe operation

- Precautions for safe operation : Ensure good ventilation in the workplace. Wear personal protective equipment. To avoids contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using the product. Always wash hands after handling the product.

### 7.2. Safe storage conditions, including incompatibilities

- Terms of storage : Store only in the original container in a cool and well-ventilated place.
- Incompatible products : Strong heartburn. Strong foundations. Strong oxidizing agents.
- Incompatible materials : Extremely high or extremely low temperatures.
- Heat and ignition sources : Keep away from heat and direct sunlight. Store in a place protected from sources of combustion.
- Co-Storage Information : Keep away from food and drink, including animal feed.
- Storage space : Store, if possible, in a cool, well-ventilated place, away from incompatible materials.
- Special packing rules : The load capacity of the forklift must be sufficient and the forklift operator must be licensed and experienced (class G driver's license).  
The products should be arranged in a dry place and so that they do not tip over (the height of the per stack should not exceed 3 meters).

### 7.3. Specific end-use(s)

See section 1.2.

## SECTION 8: Exposure control/personal protective equipment

### 8.1. Control parameters

#### 8.1.1 National occupational exposure limit values and biological limit values

Calcium Dihydroxide (1305-62-0)	
Bulgaria - Boundaries of professional exposition	
Local name	Calcium dihydroxide
OEL TWA	1 mg/m <sup>3</sup> (Respirable fraction)
OEL STEL	4 mg/m <sup>3</sup> (Respirable fraction)
Zabelezhka	• (Chemical agents for which limit values have been set in the air of the working environment for the European Community)
Reference to the legal framework	Ordinance No. 13 of 30.12.2003 on the Protection of Workers from Risks Related to Exposure to Chemical Agents at Work (amended and supplemented, SG No. 47/2021, in force from 04.06.2021)

#### 8.1.2. Recommended Monitoring Procedures

No additional information available

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

### 8.1.3. Air pollutants are formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure control

### 8.2.1. Appropriate engineering control

#### Appropriate Engineering Control:

Ensure good ventilation in the workplace.

### 8.2.2. Personal protective equipment

#### Personal protective equipment:

Mandatory use of respiratory protective equipment. Protective clothing.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses. Use safety glasses if there is a risk of contact with eyes through splashing. In case of dust emitting: wear protective goggles

#### 8.2.2.2. Skin protection

##### Skin and body protection:

According to the conditions of use, protective gloves, an apron, boots, as well as head and face protection should be worn

##### Hand protection:

Protective gloves. Choosing the right glove is a decision that depends not only on the type of material, but also on other quality characteristics that are different for each manufacturer. The puncture time of the selected gloves should be longer than the intended period of use.

Gloves should be changed after each use and when signs of wear or perforation appear

#### 8.2.2.3. Respiratory protection

##### Respiratory tract protection:

In case of insufficient ventilation, wear a suitable breathing apparatus. Avoid inhaling particles by wearing a dust mask (minimum FFP3 or FFP2)

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure control

#### Environmental Exposure Control:

Avoid release into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: According to the product specification.
Appearance	: Dust.
Smell	: without miris.
The Limit of Smell	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Tochka on a kipen	: Not available

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

Zapalimost	: Unignited
Lower limit of explosiveness	: Not applicable
Upper limit of explosiveness	: Not applicable
Flaming temperature	: Not applicable
Self-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: (Perlite plaster and putty are basic, the rest of the products are neutral.)
pH Dissolution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient: n-octanol/water (Log Kow)	: Not available
Vapor pressure	: Not available
Vapor pressure at 50°C	: Not available
Density	: Not available
Relative Density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other Information

#### 9.2.1. Information relating to physical hazard classes

No additional information available

#### 9.2.2. Other safety features

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

It is stable in dry environments. Environments that cause liquid weight harden the material. It is a stable product that does not react with the building materials it is used with.

### 10.3. Possibility of hazardous reactions

No dangerous reactions are known under normal conditions of use.

### 10.4. Conditions to be avoided

Not under the recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decay products

It decomposes into calcium oxide and sulfur dioxide above 1450 °C. Limestone decomposes into calcium oxide and sulfur dioxide above 800 °C.

## SECTION 11: Toxicological information

### 11.1. Information on the hazard classes set out in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Not classified (Based on the available data, the criteria for classification))
Acute toxicity (dermal)	: Not classified (Not classified (Based on the available data, the criteria for classification))
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

Calcium carbonate (1317-65-3)	
LD50 Oral Rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed-Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed-Dose Procedure)
LD50 Dermal Rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD guideline 402 (Acute dermal toxicity), Guideline: EU Method B.3 (Acute toxicity (dermal))
LC50 Inhalation - Rat	> 3 mg/l air Animal: rat, Guide: OECD Guideline 403 (Acute Toxicity by Inhalation), Guide: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute Toxicity by Inhalation)

Cellulose, Carboxymethyl Ether, Sodium Salt (9004-32-4)	
LD50 Oral Rat	> 5800 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg

Calcium Dihydroxide (1305-62-0)	
LD50 Oral Rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD guideline 425 (Acute oral toxicity: up-down procedure)
LD50 Dermal Rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD guideline 402 (Acute dermal toxicity), Guideline: EU Method B.3 (Acute toxicity (dermal))
LC50 Inhalation - Rat	> 6,04 mg/l air Animal: rat, Note: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxicity Class Method)

Skin corrosion/irritation	: Not classified (Based on the available data, the criteria for classification)
Serious eye damage/eye irritation	: Causes serious eye damage.
Sensitization of the respiratory tract or skin	: Not classified (Based on the available data, the criteria for classification)
Germ cell mutagenicity	: Not classified (Based on the available data, the criteria for classification)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Toxicity for reproduction	: Not classified (Based on the available data, the criteria for classification)
Specific Organ Toxicity (Specific Organs) - Single Exposure	: Not classified (Based on available data, the classification criteria are not met)

Calcium Dihydroxide (1305-62-0)	
Specific Organ Toxicity (Specific Organ Toxicity) — single exposure	May cause irritation of the respiratory tract.

Specific Organ Toxicity (Specific Organ Toxicity) - Repeated Exposure	: Not classified (Based on available data, the classification criteria are not met)
---	---

Calcium carbonate (1317-65-3)	
NOAEL (oral, rat, 90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Administration Toxicity Study with Reproductive Toxicity Screening/Developmental Toxicity Test)
NOAEC (inhalation, rat, dust/mist/fumes, 90 days)	≥ 0.212 mg/l air Animal: rat, Guideline: OECD guideline 413 (Subchronic inhalation toxicity: 90-day study)

Calcium Dihydroxide (1305-62-0)	
NOAEL (oral, rat, 90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Administration Toxicity Study with Reproductive Toxicity Screening/Developmental Toxicity Test)

Inhalation hazard	: Not classified (Based on available data, the classification criteria are not met)
-------------------	---

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

ALL Gypsum Products	
Viscosity, kinematic	Not applicable

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Environmental information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms and does not cause long-term adverse effects on the environment.

Dangerous for the aquatic environment, short-term (acute) : Not classified (Based on the available data, the criteria for classification)

Dangerous for the aquatic environment, long-term (chronic) : Not classified (Based on the available data, the criteria for classification)

Does not degrade quickly

Calcium carbonate (1317-65-3)	
EC50 72h - Algae [1]	> 14 mg/l Test organisms (species): Desmodesmus subspicatus (former name: Scenedesmus subspicatus)
Cellulose, Carboxymethyl Ether, Sodium Salt (9004-32-4)	
LC50 - Pisces [1]	> 100 mg/l (96 часа, Oncorhynchus mykiss)
LC50 - Pisces [2]	> 100 mg/l (96 часа, Lepomis macrochirus)
Calcium Dihydroxide (1305-62-0)	
LC50 - Pisces [1]	50.6 mg/l Test organisms (species): Oncorhynchus mykiss (former name: Salmo gairdneri)
EC50 - Crustaceans [1]	49.1 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	184.57 mg/l Тестови организми (видове): Pseudokirchneriella subcapitata (предишни имена: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	32 mg/l Test organisms (species): Crangon septemspinosa Duration: '14 d'

### 12.2. Durability and degradability

Cellulose, Carboxymethyl Ether, Sodium Salt (9004-32-4)	
Durability and degradability	It is not easily biodegradable.

### 12.3. Bioaccumulative capacity

No additional information available

### 12.4. Soil Portability

No additional information available

### 12.5. PBT and vPvB assessment results

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available



# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

### SECTION 13: Waste disposal

#### 13.1. Waste treatment methods

Local legislation (waste)	: The removal must be carried out in accordance with the prescriptions of the competent Office.
Waste treatment methods	: Never pour the material down the drain or surface water. The aqueous mixture can to clog the drains. Dispose of the contents/container in accordance with the sorting instructions of licensed collectors.
Product/Packaging Disposal Recommendations	: Empty the package completely before decontamination. Recycle the material as far as it is possible. Dispose of in accordance with local regulations.
Ecology - waste materials	: Avoid release into the environment.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	DNA	RID
14.1. United Nations List Number or Identification Number				
Not subject to transport regulations				
14.2. Exact name of the consignment on the UN list				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(s)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packaging group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No additional information available				

#### 14.6. Special precautions for consumers

Land transport  
Not regulated

Transport by sea  
Not regulated

Air transport  
Not regulated

Inland waterway transport  
Not regulated

Rail  
Not regulated

#### 14.7. Maritime transport of bulk cargo under International Maritime Organization instruments

Not applicable

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

### SECTION 15: Information on the regulatory framework

#### 15.1. Substance- or mixture-specific safety, health and environmental legislation/legislation

##### 15.1.1. EU regulations

**REACH, Annex XVII (Conditions for restriction)**

Does not contain substance(s) listed in Annex XVII of REACH (Restriction Conditions)

**REACH, Annex XIV (List of substances for authorisation)**

Does not contain substance(s) listed in Annex XIV of REACH (List of Substances for Authorisation)

**REACH, Candidate Substance List (SVHC)**

Does not contain substance(s) included in the REACH Candidate List

**PIC Regulation (EU 649/2012, Prior Informed Consent)**

Does not contain substance(s) included in the PIC list (Regulation EU 649/2012 on the export and import of hazardous chemicals)

**POPs Regulation (EU 2019/1021, Persistent organic pollutants)**

Does not contain substance(s) included in the list of POPs (Regulation (EU 2019/1021 on persistent organic pollutants)

**Regulation on substances that deplete the ozone layer (EU 1005/2009)**

Does not contain substance(s) included in the list of substances that deplete the ozone layer (Regulation EC 1005/2009 on substances that deplete the ozone layer)

**Regulation on explosives precursors (EU 2019/1148)**

Does not contain substance(s) included in the list of explosives precursors (Regulation (Regulation 2019/1148 on the marketing and use of explosives precursors)

**Regulation on drug precursors (EC 273/2004)**

Does not contain substance(s) included in the list of Narcotic Drugs Precursors (Regulation EC 273/2004 on the manufacture and placing on the market of certain substances used for the illicit manufacture of narcotic drugs or psychotropic substances)

##### 15.1.2. National provisions

No additional information available

#### 15.2. Safety assessment of the chemical substance or mixture

No chemical safety assessment has been carried out

### SECTION 16: Other Information

Abbreviations and acronyms:	
DNA	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity assessment
BCF	Bioconcentration factor
BLV (Biological Limit Value)	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Minimum effective dose/concentration obtained
DNEL	Inactive dose/concentration received
EC No.	European Community number
EC50	Average effective concentration
IN	European Standard

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

Abbreviations and acronyms:	
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Code for the Transport of Dangerous Goods by Sea
LC50	Medium lethal concentration
LD50	Medium lethal dose
LOAEL	The lowest dose at which an adverse effect is observed
NOAEC	Concentration with no observed adverse effect
NOAEL	Level with no observed adverse effect
NOEC	Concentration with no observed impact
OECD	Organisation for Economic Co-operation and Development
OIL	Workplace exposure limit value
PBT	Sustainable, bioaccumulative and toxic
PNEC	Suspected inactive concentration
RID	Regulations for the International Carriage of Dangerous Goods by Rail
ILD	Safety Data Sheet
STP	Wastewater treatment plant
TPK	Theoretical oxygen demand (ThOD)
TLM	Medium level of toxicity
MOOSE	Volatile organic compounds
CASE No	Chemical Index Office number
N.U.S.	Unspecified
vPvB	Very sustainable and very bioaccumulative
CLP	Regulation on classification, labelling and packaging; Regulation (EC) No 1272/2008
IGSPE	Indicative occupational exposure limits
Pow (log)	Partition coefficient n-octanol/water
REACH	Registration, evaluation, authorisation and restriction of chemicals; Regulation (EC) No 1907/2006
WGK	Hazard class for water

Data sources : Classification in accordance with Regulation (EC) No 1272/2008 [CLP]. ECHA (European Agency for Chemicals). Supplier's safety documents.

Full text of the H- and EUH-hazard warnings:	
Eye Dam. 1	Serious eye damage/irritation, Category 1
H315	Causes skin irritation.
H318	It causes serious eye damage.
H335	May cause irritation of the respiratory tract.
Skin Irrit. 2	Corrosion/Skin Irritation, Category 2
STOT SE 3	Specific toxicity to certain organs – single exposure, Category 3, respiratory irritation

# ALL Gypsum Products

## Safety Data Sheet

in accordance with REACH Regulation (EC) 1907/2006 as amended by Regulation (EU)

Classification and procedure used to obtain the classification for mixtures under Regulation (EC) No 1272/2008 [CLP]:		
Eye Dam. 1	H318	Computational method

The classification is in accordance with the : ATP 12

Safety Data Sheet (SDS), EU

DISCLAIMER The information contained in this Safety Data Sheet has been obtained from sources that we believe to be reliable. However, the information is provided without any warranty, express or implied, as to its correctness. The conditions or methods of operation, storage, use or disposal of the product are beyond our control and may be beyond our competence. For this and other reasons, we accept no responsibility and expressly disclaim liability for any loss, damage or expense arising out of or related in any way to the operation, storage, use or disposal of the product. This Safety Data Sheet has been prepared and should only be used for this product. If the product is used as an ingredient in other products, the available information may not be applicable