



B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878 Reference number: SDS-201223-2 Date of issue: 20.12.2023 Date of revision: 27.08.2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product ID

Product Form Trade : Mixture
Name : HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI
UFI Code : YECX-7TVF-U9R1-P1R

1.2. Identified uses of the substance or mixture that are relevant and uses not recommended

1.2.1. Identifies and uses

Use of the substance/mixture : Hardener for two-component parquet adhesive

1.2.2. Uses not recommended

No further information available

1.3. Details of the safety data sheet provider

ÖZCAN CHEMICAL ART. AMB. IML. ITH. IHR.
SUN. LTD. ŞTİ. ORG. BİRLİK SANAYİ SİTESİ 3.
CAD. NO: 95/97 BEYLİKDÜZÜ /
İSTANBUL / TURKEY
T + 90 212 875 16 92 - F + 90 212 876 42 70
info@ozcankimya.com www.ozcankimya.com

IMPORTER : ADA COLOR LTD. 176
BREZOVSKO SHOSE STREET, 4003
PLOVDIV, BULGARIA
MOBILE: +359896663052
TEL: +35932940456
FAX: +35932940457
WEB: ADACOLOR-BG.COM

1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency phone number	Comment
Bulgaria	National Toxicological Information Center General Hospital for Active Treatment and Emergency Medicine "N.I. Pirogov"	Bull. Gene. Edward I. Totleben 21 1606 Sofia	+359 2 9154 233	The phone is active 24/7 and the call to it is free of charge

SECTION 2: Description of hazards

2.1. Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Acute toxicity (inhalation: vapours), Category 4	H332
Corrosion/irritation of the skin, Category 2	H315
Serious eye damage/irritation, Category 2	H319
Respiratory sensitization, Category 1	H334
Skin sensitization, Category 1	H317
Carcinogenicity, Category 2	H351
Specific organ toxicity – single exposure, Category 3, respiratory irritation	H335
Specific organ toxicity – recurrent exposure, Category 2	H373

For the full text of the H- and EUH hazard statements: see Section 10 of the Hazard Statements. Section 16

Adverse physicochemical effects and adverse effects on human health and the environment

It is supposed to cause cancer. May cause organ damage with prolonged or repeated exposure. Harmful by inhalation. It can cause irritation of the respiratory tract. It causes skin irritation. May cause an allergic skin reaction. It causes serious eye irritation. May cause allergic or asthmatic symptoms or difficulty breathing when inhaled.

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

2.2. Elements of the label

Labelling in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal word (CLP)

: Dangerous

Contains

: Diphenylmethane diisocyanate, isomeri and homolozi

Hazard Warnings (CLP)

: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H332 - Harmful by inhalation.

H334 - May cause allergic or asthmatic symptoms or breathing difficulties when inhaled.

H335 - May cause irritation of the respiratory tract. H351 - Suspected to cause cancer.

H373 - May cause organ damage with prolonged or repeated exposure.

Safety Recommendations (CLP)

: P201 - Obtain special instructions before use.

P261 - Avoid inhaling fumes.

P280 - Use protective clothing, safety goggles, protective face mask. P304+P340 - WHEN INHALING: Bring the face to fresh air and place it in a position that facilitates breathing.

P321 - Specialized treatment (see supplementary first aid instruction on this label).

P342+P311 - For symptoms of difficulty breathing: Call a POISON CONTROL CENTER or a doctor.

2.3. Other hazards

Does not contain PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with Annex XIII of the REACH Regulation

The mixture does not contain substance(s) included in the list drawn up in accordance with Article 59(1)(1) of REACH for the possession of endocrine disrupting properties or which has not been found to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentration, equal to or greater than 0,1 % by weight.

SECTION 3: Composition/Ingredient Information

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product ID	%	Classification in accordance with Regulation (EC) No 1272/2008 [CLP]
Diphenylmethane diisocyanate, isomeri and homolozi	CAS No: 9016-87-9 EO No: 618-498-9	75 – 100	Acute Tox. 4 (inhaled), H332 (ATE=1.5 mg/l/4h) Skin irritation. 2, H315 Eye Irritation. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373

For the full text of the H- and EUH hazard statements: see Section 10 of the Hazard Statements. Section 16

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First aid - general measures	: In all cases of doubt, or if symptoms persist, seek medical attention. FOR obvious or suspected exposure: Seek medical advice/assistance. In Malaise call a poison center or a doctor.
First aid for inhalation	: Bring your face to fresh air and place it in a position that makes breathing easier. In Malaise call a poison center or a doctor.
First aid in case of skin contact	: Wash the skin with plenty of water. Remove contaminated clothing. When skin irritation occurs or skin rash: Seek medical advice/help.
First aid in case of contact with eyes	: Rinse gently with water for several minutes. Remove contact lenses, if any, and as far as possible. Continue rinsing. In case of prolonged eye irritation: Seek medical advice/help.
First aid for swallowing	: Never give anything through the mouth of an unconscious person. Do not induce vomiting. If you are unwell, call a poison control center or a doctor.

4.2. Most significant acute symptoms and effects that occur after a certain period of time

Symptoms/effects after inhalation	: It can cause irritation of the respiratory tract. May cause allergic or asthmatic symptoms or breathing difficulties when inhaling.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of the need for any emergency medical care and special treatment

Treat symptomatically.

SECTION 5: Fire Prevention Measures

5.1. Fire extinguishing means

Suitable fire extinguishing equipment	: Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Inappropriate fire extinguishing equipment	: Do not use a dense water jet, as it may disperse and spread the fire.

5.2. Particular hazards arising from the substance or mixture

Fire hazard	: Fire hazardous in contact with combustible materials.
Explosion hazard	: Risk of explosion when heated in a confined space.
Dangerous decay products in the event of fire	: Under the influence of heat or during combustion: It is possible to release toxic fumes.

5.3. Tips for firefighters

Fire protection measures	: Store away from combustible materials. Keep the package closed when not Use. Approach the side from which the wind blows.
Fire extinguishing instructions	: Be careful in the fight against chemical fires. To be held against the wind. Do not enter fire zones without protective equipment, incl. and respiratory protective equipment. Remove all ignition sources if it is safe. To stop and hold liquids from fire extinguishing by backfilling.
Fire extinguishing protection	: Do not intervene without appropriate protective equipment. Self-contained and insulating respiratory protection apparatus. Complete body protection.
Other information	: Prevent the products from extinguishing the fire from entering the sewerage system or water sources. Notify the authorities if the product gets into sewers or public water bodies. The products of decomposition at high temperature are harmful in inhalation. Inhaling fumes can cause breathing difficulties.

SECTION 6: Emergency release measures

6.1. Personal protective equipment, protective equipment and emergency procedures

General measures	: People should stay away from the danger zone.
------------------	---

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : For more information, see Section 8: "Exposure Control/Personal Protective Equipment means". |
| Emergency plans | : Ventilate the spill/spill area. Do not touch or pass through the spilled/spilled product. Notify the fire brigade and the authorities responsible for the environment. Do not inhale dust/smoke/gas/smoke/fumes/aerosols. Avoid skin contact and the eyes. |

6.1.2. For those responsible for emergencies

- | | |
|----------------------|---|
| Protective equipment | : Do not intervene without appropriate protective equipment. For more information, see section 8: 'Exposure control/personal protective equipment'. |
| Emergency plans | : Remove unnecessary staff. Provide adequate protective equipment to cleaning teams. Stop the leak if it is safe. Prevent entry into the sewer, ground floors and trenches, or any place where its accumulation can be dangerous. |

6.2. Environmental safeguards

Avoid discharge into the environment.

6.3. Containment and cleaning methods and materials

- | | |
|-------------------|--|
| For retention | : Do not touch or pass through the spilled/spilled product. |
| Cleaning methods | : The spilled material should be absorbed as quickly as possible with inert solids, such as clay or insulated soil. Collect mechanically (by sweeping or scooping with a shovel) and place in a suitable disposal container. Notify authorities, if the product gets into sewers or public water bodies. |
| Other information | : Dispose of materials or solid residues at a permitted place. |

6.4. Reference to other sections

For personal protective equipment to be used, see section 8. For disposal of waste after cleaning, see section 13.

SECTION 7: Operation and storage

7.1. Precautions for safe operation

- | | |
|----------------------------|---|
| Safe Operation Precautions | : Ensure good ventilation of the workplace. Wear personal protective equipment. Before use, obtain special instructions. Do not use until you have read and understood all safety precautions. Do not inhale dust/smoke/gas/smoke/fumes/aerosols. To be used only outdoors or well ventilated area. Avoid contact with skin and eyes. |
| Hygiene measures | : Do not eat, drink or smoke when using the product. Always wash your hands after handling the product. Wash contaminated clothing before reuse. Not to be exported contaminated workwear outside the workspace. |

7.2. Conditions for safe storage, including incompatibilities

- | | |
|---------------------------|---|
| Storage conditions | : Store only in the original container, in a cool and well-ventilated place. To be stored turnkey. Store in a well-ventilated area. Store the container tightly closed. |
| Incompatible products | : Strong acids. Strong foundations. Strong oxidizing agents. |
| Incompatible materials | : Extremely high or extremely low temperatures. |
| Heat and ignition sources | : Keep away from heat and direct sunlight. To be stored in a place protected from combustion sources. |
| Co-storage information | : Keep away from food and drinks, including animal feed. |
| Storage space | : Store, if possible, in a cool, well-ventilated place and away from incompatible products. |

7.3. Specific end-use(s)

See section 1.2.

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

SECTION 8: Exposure Control/Personal Protective Equipment

8.1. Control parameters

8.1.1 National occupational exposure limits and biological limit values

No further information available

8.1.2. Recommended monitoring procedures

No further information available

8.1.3. Air pollutants are formed

No further information available

8.1.4. DNEL and PNEC

No further information available

8.1.5. Control banding

No further information available

8.2. Exposure control

8.2.1. Appropriate engineering control

Appropriate engineering control:

Ensure good ventilation of the workplace.

8.2.2. Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses. Wear protective clothing. Mandatory use of protective boots. Gas mask.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Use safety glasses if there is a risk of eye contact through spray

8.2.2.2. Skin protection

Skin and body protection:

According to the conditions of use, protective gloves, apron, boots, as well as head and face protection should be worn

Hand protection:

Protective gloves. The choice of suitable gloves is a decision that depends not only on the type of material, but also on other quality characteristics that differ for each manufacturer. The penetration time through the selected gloves must be longer than intended for their use.

Gloves should be replaced after each use and when signs of wear or perforation appear

8.2.2.3. Airway protection

Airway protection:

In case of insufficient ventilation, a suitable breathing apparatus should be worn. [In case of insufficient ventilation], wear respiratory protective equipment Roads.

8.2.2.4. Thermal hazards

No further information available

8.2.3. Environmental Exposure Control

Environmental Exposure Control:

Avoid discharge into the environment.

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State of Aggregation	: Liquid
Colour	: brown.
Smell	: Characteristic.
The Limit of Smell	: Not available
Point on the melting	: Not applicable
freezing point	: Not available
Tochka on a kipen	: Not available
Zapalimost	: Not applicable
Lower limit of explosiveness	: Not available
Upper limit of explosiveness	: Not available
Flame Temperature	: Not available
Self-Ignition Temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient: n-octanol/water (Log Kow)	: Not available
Vapor pressure	: Not available
Vapor pressure at 50°C	: Not available
Density	: 1.15 – 1.24 g/cm ³
Relative density	: Not available
Relative vapor density at 20°C	: Not available
Characteristics of particles	: Not applicable

9.2. Other Information

9.2.1. Information on physical hazard classes

No further information available

9.2.2. Other safety features

No further information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transportation.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of dangerous reactions

There is no known dangerous reaction under normal conditions of use.

10.4. Conditions to be avoided

None under the recommended storage and operating conditions (see section 7).

10.5. Incompatible materials

No further information available

10.6. Hazardous decay products

Under normal conditions of storage and use, hazardous decay products should not form.

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on the hazard classes set out in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on the available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on the available data, the criteria for classification)
Acute toxicity (inhalation)	: Harmful if inhaled.

SELLACK (COMPONENT B) PARQUET ADHESIVE (9+1)

ATE CLP (Fumes)	11 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation. Serious eye
damage/eye irritation	: Causes serious eye irritation.
Sensitization of the respiratory tract or skin	: May cause allergic or asthmatic symptoms or breathing difficulties in inhalation. May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on the available data, the criteria for classification)
Carcinogenicity	: It is supposed to cause cancer.
Reproductive toxicity	: Not classified (Based on the available data, the criteria for classification)
WTO (Specific Organ Toxicity) – Single Exposure	: May cause respiratory irritation.

Diphenylmethane diisocyanate, isomeri and homolozi (9016-87-9)

STW (specific organ toxicity) — Single exposure	It can cause irritation of the respiratory tract.
STW (Specific Organ Toxicity) – repeated exposure	: May cause organ damage with prolonged or repeated exposure.

Diphenylmethane diisocyanate, isomeri and homolozi (9016-87-9)

STW (specific organ toxicity) — repeated exposure	May cause organ damage with prolonged or repeated exposure.
---	---

Inhalation hazard	: Not classified (Based on the available data, the classification criteria are not met)
-------------------	---

11.2. Information on other hazards

No further information available

SECTION 12: Environmental information

12.1. Toxicity

Ecology - total	: The product is not considered harmful to aquatic organisms and does not cause long-term adverse effects on the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on the available data, the criteria for classification)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on the available data, the criteria for classification)
It does not degrade quickly	

12.2. Stability and degradability

No further information available

12.3. Bioaccumulative capacity

No further information available

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

12.4. Soil portability

No further information available

12.5. Results of the PBT and vPvB assessment

No further information available

12.6. Endocrine disrupting properties

No further information available

12.7. Other adverse effects

No further information available

SECTION 13: Disposal of waste

13.1. Waste treatment methods

Local legislation (waste)	: The removal must be carried out in accordance with the prescriptions of the competent authorities Office.
Waste treatment methods	: Discard the contents/container in accordance with the instructions for sorting the licensed waste disposal service.
Recommendations for disposal of the product/packaging	: Empty the package completely before decontamination. Recycling the material as far as it is possible. Dispose of in accordance with local regulations.
Ecology - waste materials	: Avoid discharge into the environment.
HP code	: HP5 - "Specific Organ Toxicity (STOT)/Hazard in inhalation": waste that can cause specific toxicity to certain organs with single or repeated exposure or that causes acute toxic effects after inhalation. HP6 - "Acute toxicity": waste that can cause acute toxic effects after ingestion by mouth or skin, or by inhalation. HP7 - "Carcinogenic": waste that causes cancer or increases its incidence. HP4 - "Irritating - skin irritation and eye damage" waste that, on contact, may cause skin irritation or eye damage. HP13 - 'Sensitising': waste containing one or more substances for which it is known to cause sensitizing effects on the skin or respiratory organs.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	DNA	RID
14.1. UN List Number or Identification Number				
Not subject to transport regulations				
14.2. Exact name of the UN-listed consignment				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(s)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	DNA	RID
No further information available				

14.6. Special precautions for consumers

Road transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail

Not regulated

14.7. Maritime transport of cargo in bulk according to instruments of the International Maritime Organization

Not applicable

SECTION 15: Regulatory information

15.1. Substance or mixture-specific safety, health and environmental legislation/legislation

15.1.1. EU regulations

REACH, Annex XVII (Conditions for restriction)

Does not contain substance(s) listed in Annex XVII of REACH (Restriction Conditions)

REACH, Annex XIV (List of substances for authorisation)

Does not contain substance(s) listed in Annex XIV of REACH (List of Substances for Authorisation)

REACH, Candidate List (SVHC)

Does not contain substance(s) included in the REACH Candidate List

PIC Regulation (EU 649/2012, Prior Informed Consent)

Does not contain PIC listed substance(s) (EU Regulation 649/2012 on exports and imports of hazardous chemicals)

POPs Regulation (EU 2019/1021, Persistent Organic Pollutants)

Does not contain POPs-listed substance(s) (EU Regulation 2019/1021 on persistent organic pollutants)

Regulation on substances that deplete the ozone layer (EU 1005/2009)

Does not contain substance(s) included in the list of substances that deplete the ozone layer (Regulation EC 1005/2009 on substances that deplete the ozone layer)

Regulation on explosives precursors (EU 2019/1148)

Does not contain substance(s) included in the list of explosives precursors (EU Regulation 2019/1148 on the marketing and use of explosives precursors)

Regulation on drug precursors (EC 273/2004)

Does not contain substance(s) included in the list of Precursors of narcotic substances (Regulation EC 273/2004 on the manufacture and placing on the market of certain substances used for the illicit manufacture of narcotic drugs or psychotropic substances)

15.1.2. National provisions

No further information available

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

15.2. Safety assessment of the chemical substance or mixture

No chemical safety assessment carried out

SECTION 16: Other Information

Abbreviations and acronyms:

DNA	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity assessment
BCF	Bioconcentration factor
BLV (Biological Limit Value)	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD (Chemical Oxygen Demand)	Chemical oxygen demand (COD)
DMEL	Minimum active dose/concentration obtained
DNEL	Inactive dose/concentration received
EC No.	European Community number
EC50	Average effective concentration
IN	European standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Code for the Carriage of Dangerous Goods by Sea
LC50	Average lethal concentration
LD50	Average lethal dose
LOAEL	The lowest dose at which an adverse effect is observed
NOAEC	Concentration without observed adverse effect
NOAEL	Level with no observed adverse effect
NOEC	Concentration without observed effects
OECD	Organisation for Economic Co-operation and Development
OIL	Workplace exposure limit value
PBT	Sustainable, bioaccumulative and toxic
PNEC	Suspected inactive concentration
RID	Regulations on the International Carriage of Dangerous Goods by Rail
ILB	Safety Data Sheet
STP	Wastewater treatment plant
TPK	Theoretical oxygen demand (ThOD)
TLM	Medium level of toxicity
MOOSE	Volatile organic compounds
CASE No	Chemical Index Service number

B COMPONENT

HARDENER FOR TWO-COMPONENT POLYURETHANE PARQUET ADHESIVE - UNI - SELLACK UNI/9+0.75

Safety Data Sheet

in accordance with Regulation REACH (EC) 1907/2006, as amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

N.U.K.	Unspecified
vPvB	Very sustainable and very bioaccumulative
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
IGSPE	Indicative occupational exposure limits
Pow (log)	N-octanol/water partition coefficient
REACH	Registration, evaluation, authorisation and restriction of chemicals; Regulation (EC) No 1907/2006
WGK	Water hazard class

Data sources : Classification in accordance with Regulation (EC) No 1272/2008 [CLP]. ECHA (European Chemicals Agency). Supplier safety documents.

Full text of the H- and EUH hazard statements:

Acute Tox. 4 (inhalation)	Acute toxicity (inhalation), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/irritation, Category 2
H315	It causes skin irritation.
H317	May cause an allergic skin reaction.
H319	It causes serious eye irritation.
H332	Harmful by inhalation.
H334	May cause allergic or asthmatic symptoms or difficulty breathing when inhaled.
H335	It can cause irritation of the respiratory tract.
H351	It is supposed to cause cancer.
H373	May cause organ damage with prolonged or repeated exposure.
Resp. Sens. 1	Respiratory sensitization, Category 1
Skin Irrit. 2	Corrosion/irritation of the skin, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 2	Specific organ toxicity – repeated exposure, Category 2
STOT SE 3	Specific organ toxicity – single exposure, Category 3, respiratory irritation

The classification is in accordance with the : ATP 12

Safety Data Sheet (SDS), EU

The information contained in this Safety Data Sheet has been obtained from sources that we believe to be reliable. However, the information is provided without any warranty, express or implied, as to its correctness. The conditions or methods of handling, storing, using or disposing of the product are beyond our control and may be beyond our competence. For this and other reasons, we do not accept responsibility and expressly disclaim liability for losses, damages or expenses arising out of or in any way related to the operation, storage, use or disposal of the product. This Safety Data Sheet has been prepared and should only be used for this product. If the product is used as an ingredient in other products, the information available could not be applicable