

TECHNICAL DATA SHEET



High coverage spray primer gray, black and white - High build primer

1K acrylic primer of high filling properties. To be used for leveling and filling larger cavities. In contrast to ordinary 1K primers, **high build** leaves a much thicker coat when dry. This product has anti corrosive properties.

FOR PROFESSIONAL USE!

IT CAN BE USED ON THE FOLLOWING GROUND TYPES

- ◆ Old paint coats.
- ◆ Polyester putties.
- ◆ Aluminium.
- ◆ Steel.
- ◆ Plastics.
- ◆ Wood.
- ◆ Concrete.
- ◆ Glass.

PRODUCT CHARACTERISTICS

- ◆ Very good adhesion to various ground types.
- ◆ Excellent filling, forms a thicker coating than ordinary 1K primers.
- ◆ Quick drying.
- ◆ Easily sandable.
- ◆ It can be applied directly on metal surfaces.
- ◆ Anti corrosive properties.

INSTRUCTION FOR USE

- ◆ Sand the painted surface with P400 paper.
- ◆ Clean, dry and degrease the surface with a silicone remover before application.
- ◆ Shake the container carefully for about 2-3 min.
- ◆ Apply 2-3 single layers from a distance of about 25-30 cm.
- ◆ Have about 5-10 min. pause before applying another layer.
- ◆ Clean the sprayer after painting by turning the container upside down and pressing the valve for about 5 seconds.

ATTENTION!

TECHNICAL DATA SHEET

It's best to paint in a dry room at the temperature of 20°C.

The application of several (2-3) thin layers gives a much better effect than one thick layer.

TECHNICAL DATA SHEET

DRYING TIME

- ◆ Dust free: 15 min.
- ◆ Tack free: 30 ÷ 40 min.
- ◆ Hard / ready for overcoating: after about 2 hours
- ◆ Completely dry: 24 h

THEORETICAL EFFICIENCY

500 ml of the primer is enough to cover about 4,5 - 5 m² of the surface.

CONTENT OF VOLATILE ORGANIC COMPOUNDS

VOC II/B/e limit = 840 g/l, VOC = 694,4 g/l

STORAGE CONDITIONS

Store in a dark and dry place away from the sources of fire and heat. The shelf life of the product in original package at the temperature of 20°C is 60 months.

HEALTH AND SAFETY RECOMMENDATIONS

According to Safety Data Sheet of Dangerous Substance for particular product.

PACKAGING

Art. No	Capacity, ml	Package, pieces:
10181	500	12

This information is based on careful laboratory research and many years of experience. Strong market position does not absolve us from constant control of the quality of our products. However, we are not responsible for the final results after incorrect use of the product.



Sofia 6 "Andrey Germanov" str. mobile: 089 666 3042 / 089 468 3880	Sofia, "Ovcha Kupel 1" quarter 33 "Promishlena" str., 429 bl., store 18, mobile: 089 666 9071	Plovdiv 176 "Brezovsko shose" str. mobile: 089 544 7503 / 089 666 3044	Varna 25 "Usta Kolyu Ficheto" str. mobile: 089 666 9079 / 089 466 9023
Shumen, "Dobrudzhanski" quarter Ind. zone, "Stroykomplekt" site mobile: 089 455 1685 / 089 666 3043	Kardzhali 1 "Klokotnitsa" str. mobile: 089 575 0749 / 089 666 3057	Troyan 49 "Makedoniya" str. mobile: 089 666 9079 / 089 673 4489	Haskovo, 5 "Okolovrasten pat" str. South Industrial zone mobile: 089 666 3051 / 089 241 2833