



# CHIMIVER PANSERI S.p.A.

## ADESIVER ELASTIC - Sacchetto 5 KG

Revision nr.23  
Dated 08/11/2023  
Printed on 09/04/2024  
Page n. 1 / 11  
Replaced revision:22 (Dated 25/08/2022)

EN

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: ELAS050X  
Product name ADESIVER ELASTIC - Sacchetto 5 KG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Single-component adhesive with a silanic termination for wooden floor

Identified Uses	Industrial	Professional	Consumer
Wooden floor adhesive	-	PROC: 0. PC: 1. LCS: PW.	PROC: 0. PC: 1. LCS: C.

#### 1.3. Details of the supplier of the safety data sheet

Name CHIMIVER PANSERI S.p.A.	Distributor: Ada Color Ltd.
Full address Via Bergamo 1401	176 Brezovska Shose St.,
District and Country 24030 PONTIDA (BG) ITALIA	4003 Plovdiv, Bulgaria
	Mobile: +359896663052
	Tel: +35932940456
e-mail address of the competent person Fax +39 035 795556	Fax +35932940457
responsible for the Safety Data Sheet msds@chimiver.com	Web: <a href="http://www.adacolor-bg.com">www.adacolor-bg.com</a>

#### 1.4. Emergency telephone number

For urgent inquiries refer to  
**Poison centers:**  
  
**Additional information: Bulgaria:**  
**Toxicology Clinic at the National Medical University of Sofia "N. I. Pirogov"**  
**Emergency telephone number:**  
**+359 02 9154 409 ( standard working hours excluding Saturdays and Sundays)**  
**+359 02 9154 346 (24/7 service)**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).  
However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --

### SECTION 2. Hazards identification ... / >

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

**EUH210** Safety data sheet available on request.  
**EUH208** Contains: TRIMETHOXY VINYLSILANE  
May produce an allergic reaction.

Precautionary statements: --

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

### SECTION 3. Composition/information on ingredients

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
----------------	-------------	-------------------------------------

##### TRIMETHOXYPROPYLSILANE

INDEX	1 $\leq$ x < 2	Flam. Liq. 3 H226, Skin Irrit. 2 H315
EC	213-926-7	
CAS	1067-25-0	

REACH Reg. 01-2119972314-37-0001

##### TRIMETHOXY VINYLSILANE

INDEX	014-049-00-0	0,5 $\leq$ x < 1	Flam. Liq. 3 H226, Acute Tox. 4 H332, Skin Sens. 1B H317
EC	220-449-8		LC50 Inhalation vapours: 16,8 mg/l/4h
CAS	2768-02-7		

REACH Reg. 01-2119513215-52-XXXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### SECTION 4. First aid measures

EYES: Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice.

SKIN: Wash immediately with plenty of water. Remove contaminated clothing. If irritation persists, seek medical attention. Wash contaminated clothing before using them again.

INHALATION: Remove to open air. If breathing is irregular, seek medical advice.

INGESTION: If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice immediately and clearly identify substance.

In case of contact with water material splits off (also in gastrointestinal tract) methanol in larger amounts; therefore consider poisoning on methanol and also observe known period of latency of several days!

#### 4.1. Description of first aid measures

Information not available

### SECTION 4. First aid measures ... / >

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

##### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

##### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

##### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

#### 5.3. Advice for firefighters

##### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

##### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### SECTION 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### SECTION 7. Handling and storage

Protect against moisture. Keep container tightly closed and store in a cool, well ventilated place.

#### 7.1. Precautions for safe handling

Information not available

#### 7.2. Conditions for safe storage, including any incompatibilities

Information not available

### SECTION 7. Handling and storage ... / >

#### 7.3. Specific end use(s)

Information not available

### SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

Regulatory references:

ITA Italia Decreto Legislativo 9 Aprile 2008, n.81

#### TRIMETHOXYPROPYLSILANE

##### Threshold Limit Value

Type	Country	TWA/8h mg/m3	STEL/15min ppm	Remarks / Observations
VLEP	ITA		1	

##### Predicted no-effect concentration - PNEC

Normal value in fresh water	1,49	mg/l
Normal value in marine water	0,149	mg/l
Normal value for fresh water sediment	5,6	mg/kg/d
Normal value for marine water sediment	0,56	mg/kg/d
Normal value of STP microorganisms	10	mg/l
Normal value for the terrestrial compartment	0,25	mg/kg/d

##### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	4 mg/kg bw/d			0,26 mg/kg bw/d				
Inhalation	26 mg/m3	26400 mg/m3	26 mg/m3	6,25 mg/m3	130 mg/m3	130 mg/m3	130 mg/kg	25,6 mg/m3
Skin					LOW	4 mg/kg bw/d	LOW	0,26 mg/kg bw/d

#### TRIMETHOXY VINYL SILANE

##### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,34	mg/l
Normal value in marine water	0,034	mg/l
Normal value for fresh water sediment	0,27	mg/kg
Normal value for water, intermittent release	3,4	mg/l
Normal value of STP microorganisms	110	mg/l
Normal value for the terrestrial compartment	0,046	mg/kg

##### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	0,3 mg/m³				
Inhalation	93,4 mg/m3	VND	1,04 mg/m³	VND	4,9 mg/m³			
Skin	26,9 mg/kg/d	VND	0,3 mg/kg/d	VND	0,69 mg/kg 24h			

##### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.  
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

##### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and

### SECTION 8. Exposure controls/personal protection ... / >>

permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

#### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### SECTION 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	paste	
Colour	Oak	
Odour	typical	
Melting point / freezing point	not available	Reason for missing data:Date not available
Initial boiling point	not available	Reason for missing data:Date not available
Flammability	not available	Reason for missing data:Date not available
Lower explosive limit	not available	Reason for missing data:Date not available
Upper explosive limit	not available	Reason for missing data:Date not available
Flash point	> 100 °C	Reason for missing data:Date not available
Auto-ignition temperature	not available	Reason for missing data:Date not available
Decomposition temperature	not available	Reason for missing data:Date not available
pH	not available	Reason for missing data:Date not available
Kinematic viscosity	> 56000 mm <sup>2</sup> /s	
Dynamic viscosity	> 56000 cst	
Solubility	Partially soluble in solvent	
Partition coefficient: n-octanol/water	not available	Reason for missing data:Date not available
Vapour pressure	not available	Reason for missing data:Date not available
Density and/or relative density	1,76 kg/l	
Relative vapour density	not available	Reason for missing data:Date not available
Particle characteristics	not applicable	

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

Information not available

##### 9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0,93 % - 16,34 g/litre

### SECTION 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

**SECTION 10. Stability and reactivity** ... / >>**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

The vapours may also form explosive mixtures with the air.

**10.4. Conditions to avoid**

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

**SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Do not inhale vapors from aerosol as causing lung injury. According to the literature the inhalation as an aerosol causes: laryngitis. hydrolysis products: Warning! The product can be hydrolyzed in the digestive tract and produce similar effects to methanol. According to literature methanol (67-56-1) degrease the skin, irritates the mucous membranes, narcotic effect has even lead to coma or death. Dermal absorption possible. If the slow relief efforts, may arise cardiac lesions, kidney, liver and optic nerves (blindness).

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

**ACUTE TOXICITY**

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

**TRIMETHOXYPROPYLSILANE**

LD50 (Oral):

5170 mg/kg Rat

LC50 (Inhalation mists/powders):

22200 mg/l/4h Rat

**TRIMETHOXY VINYLSILANE**

LD50 (Dermal):

3200 mg/kg coniglio (rabbit)

LD50 (Oral):

> 7100 mg/kg ratto (mouse)

LC50 (Inhalation vapours):

16,8 mg/l/4h ratto (mouse)

**SKIN CORROSION / IRRITATION**

Does not meet the classification criteria for this hazard class

### SECTION 11. Toxicological information ... / >

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

TRIMETHOXY VINYLSILANE

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

##### TRIMETHOXYPROPYLSILANE

LC50 - for Fish

> 746 mg/l/96h Brachydanio rerio

EC50 - for Crustacea

> 816 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants

> 913 mg/l/72h Desmodesmus subspicatus

##### TRIMETHOXY VINYLSILANE

LC50 - for Fish

191 mg/l/96h trota iridea (Oncorhynchus mykiss)

EC50 - for Crustacea

> 169 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants

> 210 mg/l/72h Selenastrum capricornutum

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available



# CHIMIVER PANSERI S.p.A.

## ADESIVER ELASTIC - Sacchetto 5 KG

Revision nr.23  
Dated 08/11/2023  
Printed on 09/04/2024  
Page n. 8 / 11  
Replaced revision:22 (Dated 25/08/2022)

EN

### SECTION 12. Ecological information ... / >>

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### SECTION 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable

#### 14.5. Environmental hazards

not applicable

#### 14.6. Special precautions for user

not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### SECTION 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	40	Contained substance	TRIIRON TETRAOXIDE
Point	75		

### SECTION 15. Regulatory information ... / >>

Point	75	REACH Reg.: 01-2119457646-28-0000 TRIMETHOXY VINYL SILANE
Point	75	REACH Reg.: 01-2119513215-52-XXXX Pigment Black 7
Point	75	REACH Reg.: 01-2119384822-32-XXXX RED IRON OXIDE
Point	75	REACH Reg.: 01-2119457614-35 CALCIUM CARBONATE
Point	75	IRON HYDROXIDE OXIDE YELLOW
Point	52	REACH Reg.: 01-2119457554-33-0039 CALCIUM CARBONATE DI-ISONONYL PHTHALATE
		REACH Reg.: 01-2119430798-28-XXXX

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors  
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
EUH210	Safety data sheet available on request.

Use descriptor system:

LCS	C	Consumer use
LCS	PW	Widespread use by professional workers
PC	1	Adhesives, sealants
PROC	0	Other

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals

### SECTION 16. Other information ... / >>

- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION



# CHIMIVER PANSERI S.p.A.

## ADESIVER ELASTIC - Sacchetto 5 KG

Revision nr.23  
Dated 08/11/2023  
Printed on 09/04/2024  
Page n. 11 / 11  
Replaced revision:22 (Dated 25/08/2022)

EN

### SECTION 16. Other information ... / >>

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 06 / 08 / 09 / 10 / 11 / 12 / 15 / 16.